

Valid to 31 DEC

2013  
This document is uncontrolled when printed  
View original at [www.steelcertification.com](http://www.steelcertification.com)



ABN: 40 096 692 545

## Australian Certification Authority for Reinforcing Steels Ltd **Certificate of Product Compliance**

Certificate Number: 120802



**BLUESCOPE STEEL PORT KEMBLA PLATE MILL**  
PORT KEMBLA, NSW, AUSTRALIA

*has satisfied the authority that it complies with the relevant ACRS Quality and Operations Assessment Procedures. Where appropriate, and as listed below, it has further satisfied the Authority that it manufactures and/or supplies products that conform with the stated product standards and is entitled to use the ACRS mark on its products.*

### **Scope of Certification**

Structural steel hot-rolled plates and slabs to AS/NZS 3678

Full details of the products for which certification has been achieved should be viewed at: [www.steelcertification.com](http://www.steelcertification.com)

By authority of  
ACRS Council:

Philip Sanders, Executive Director

Valid until:

31 December 2013

First certified:

August 2012



Ver 3.0 DEC 2012

Valid to 31 DEC

2013

View original at [www.steelcertification.com](http://www.steelcertification.com)



ABN: 40 096 692 545

**Australian Certification Authority for Reinforcing Steels Ltd**  
**Products assessed by ACRS to AS/NZS 3679.1**  
 To be read in conjunction with Certificate Number: 120802



**BLUESCOPE STEEL PORT KEMBLA PLATE MILL**  
**PORT KEMBLA, NSW, AUSTRALIA**

has satisfied the authority that it complies with the relevant ACRS Quality and Operations Assessment Procedures. Where appropriate, and as listed below, it manufactures products as indicated by "✓", below and is entitled to use the ACRS mark with these products.

**Structural steel hot-rolled plates and slabs to AS/NZS 3678**

Table 1 – Strength

Grade	Thickness (mm)
200	-
250	5 - 150
300	8 - 120
350	5 - 100
400	10 - 60
450	10 - 50

Table 2 – Impact Tests may be REQUESTED for the following strength/thickness combinations.

Grade	L15	L20	L40
200	-	-	-
250	5 - 150 mm	5 - 100 mm	10 - 40 mm
300	8 - 40 mm	8 - 40 mm	-
350	5 - 100 mm	5 - 100 mm	10 - 40 mm
400	10 - 80 mm	10 - 80 mm	10 - 50 mm
450	10 - 50 mm	10 - 50 mm	10 - 50 mm

Table 3 – Through Thickness Tests may be REQUESTED for the following Strength/thickness combinations.

Grade	Z15	Z25	Z35
200	-	-	-
250	16 - 120 mm	16 - 100 mm	16 - 80 mm
300	-	-	-
350	16 - 100 mm	16 - 100 mm	16 - 80 mm
400	16-80 mm	16-80 mm	6-80 mm
450	16-50 mm	16-50 mm	6-50 mm

